

GOVERNMENT OF GUAM DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH			BARBER AND BEAUTY SHOPS, SCHOOLS, AND THE PRACTICE OF BARBERING AND COSMETOLOGY INSPECTION REPORT		
INSPECTION	GRADE	Inspection Date	ESTABLISHMENT NAME:		
Regular	10/A	8/23/17	HAIRDRESSER BY KIMBERLY		
Follow-Up		Time In/Out:	OWNER/OPERATOR:		
Complaint		2:15PM - 2:55PM	NYK CORPORATION		
Investigation		Sanitary Permit:	LOCATION:		
Other(Specify Below)		No.: 170002734	LOT 82-1-5-R10 UNIT 221 AGANA SHOPPING		
		Exp.: 6/30/18	ESTABLISHMENT TYPE: BEAUTY SALON		
The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written hearing request must be submitted before the indicated correction date.					
ITEM NO.*	REMARKS				DEMERITS
	A REGULAR INSPECTION WAS CONDUCTED BASED ON A COMPLAINT #17-004A REGARDING NO VISIBLE HEALTH CERTIFICATES POSTED AS WELL AS POSSIBLE INFECTION BASED ON A OUT FROM THE BEAUTY SALON'S EQUIPMENT. THE CLAIM IS UNSUBSTANTIATED. HEALTH CERTIFICATES ARE POSTED, CURRENT & VALID. EQUIPMENT OBSERVED IS CLEAN & SANITIZED.				
	PREVIOUS INSPECTION CONDUCTED ON 8/17/16 (10, A). ALL PREVIOUS VIOLATIONS HAVE BEEN CORRECTED. ITEMS # 4, 17, 25 & 26.				
	THE FOLLOWING VIOLATIONS WERE OBSERVED:				
5	EVIDENCE OF VARIOUS FOOD & DRINK OBSERVED AT WORKSTATIONS. NO FOOD OR DRINK SHALL BE CONSUMED IN THE WORK AREA TO PREVENT CROSS-CONTAMINATION.				9/23/17 2
8	USE OF COMMON NECK DUSTERS & BRUSHES MADE OF WOOD. WOODEN BRUSHES & COMMON NECK DUSTERS SHALL NOT BE USED TO PREVENT THE ACCUMULATION OF BACTERIA & PREVENT CROSS-CONTAMINATION.				9/2/17 6
I HAVE READ AND UNDERSTAND THE ABOVE VIOLATION(S) AND I AM AWARE OF THE CORRECTIVE MEASURES TO BE TAKEN.					
*When any of the following items are cited above, they shall be corrected within ten (10) days of this inspection: (1), (2), (3), (7), (8), (17), (22), (24), (31), (43), and (45).			RECEIVED BY (Name & Title): C. MASTY MAHLUM DEH INSPECTOR (Name & Title): J. GARCIA EPHO / D. MITCHELL EPHO		
GEH-07 Rev: 10/98			WHITE COPY - Office YELLOW COPY - Establishment		

